



Vertical Contact Toaster

Model VCT-2000 owner's manual

Manufacturing Numbers: 9210204, 9210206, 9210207 & 9210211







TABLE OF CONTENTS

| Owner Information | 2 |
|----------------------------------------------|---|
| General | 2 |
| Warranty Information | 2 |
| Service/Technical Assistance | 3 |
| Important Safety Information | 3 |
| Specifications | 5 |
| Electrical Specifications at Listed Voltages | 5 |
| Electrical Cord & Plug Configurations | 5 |
| Dimensions | 5 |
| Installation | 6 |
| Unpacking | 6 |
| Equipment Setup | |
| Assembling the Unit | |
| Operation. | |
| Operating Instructions | |

| Temperature Adjustments Hi-Limit Reset Button Fault Codes Maintenance Daily Monthly Removing conveyor belts Measuring roller tensioners Replacing Roller Tensioners | 9 10 11 12 12 13 13 |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------|
| | |
| Troubleshooting Replacement Parts | 16 |
| Wiring Diagram | 25 |
| Limited Warranty | 28 |

OWNER INFORMATION

General

The Vertical Contact Toaster Model VCT-2000 is designed for contact toasting of buns. Its design allows the operator to place buns on both sides of the heated platen at the same time. Buns are placed into the top of the toaster and uniform, golden brown, warm buns are then retrieved at the base of the toaster.

This manual provides the safety, installation, and operating procedures for the Vertical Contact Toaster Model VCT-2000. We recommend that all information contained in this manual be read prior to installing and operating the unit.

Your Vertical Contact Toaster Model VCT-2000 is manufactured from the finest materials available and assembled to our strict quality standards. This unit has been tested at the factory to ensure dependable trouble-free operation.

Warranty Information

Please read the full text of the Limited Warranty in this manual.

If the unit arrives damaged, contact the carrier immediately to file a damage. Save all packing materials when filing a claim. Freight damage claims are the responsibility of the purchaser and are **NOT** covered under warranty.

The warranty does NOT extend to:

- Damages caused in shipment or damage as result of improper use.
- Installation of electrical service.
- Normal maintenance as outlined in this manual.
- Malfunction resulting from improper maintenance.
- · Damage caused by abuse or careless handling.
- Damage from moisture into electrical components.
- Damage from tampering with, removal of, or changing any preset control or safety device.

IMPORTANT! Keep these instructions for future reference. If the unit changes ownership, be sure this manual accompanies the equipment.



OWNER INFORMATION (continued)

Service/Technical Assistance

If you experience any problems with the installation or operation of your unit, contact your local Roundup Authorized Service Agency.

Fill in the information below and have it handy when calling your Authorized Service Agency for assistance. The serial number is on the specification plate located on the rear of the unit.

| Purchased Fi | rom: | |
|--------------|------|--|
| | | |

Date of Purchase:

Model No.:

Serial No.:

Mfg. No.: _____

Use only genuine Antunes replacement parts in this unit. Use of replacement parts other than those supplied by the manufacturer will void the warranty.

IMPORTANT

A.J. Antunes & Co. reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions, or replacements for previously purchased equipment.

IMPORTANT SAFETY INFORMATION

Throughout this manual, you will find the following safety words and symbols that signify important safety issues with regards to operating or maintaining the equipment.

GENERAL WARNING. Indicates information important to the proper operation of the equipment. Failure to observe may result in damage to the equipment and/or severe bodily injury or death.

GENERAL CAUTION. Indicates information important to the proper operation of the equipment. Failure to observe may result in damage to the equipment.



ELECTRICAL WARNING. Indicates information relating to possible shock hazard. Failure to observe may result in damage to the equipment and/or severe bodily injury or death.



HOT SURFACE WARNING. Indicates information important to the handling of equipment and parts. Failure to observe may result in personal injury.



IMPORTANT SAFETY INFORMATION (continued)

In addition to the warnings and cautions in this manual, use the following guidelines for safe operation of the unit.

- Read all instructions before using equipment.
- For your safety, the equipment is furnished with a properly grounded cord connector. Do NOT attempt to defeat the grounded connector.
- Install or locate the equipment only for its intended use as described in this manual. Do NOT use corrosive chemicals in this equipment.
- Do NOT operate this equipment if it has a damaged cord or plug, is not working properly, or has been damaged or dropped.
- This equipment should be serviced by qualified personnel only. Contact the nearest Authorized Service Agency for adjustment or repair.
- Do NOT block or cover any openings on the unit.
- Do NOT immerse cord or plug in water.
- Keep cord away from heated surfaces.
- Do NOT allow cord to hang over edge of table or counter.

The following warnings and cautions appear throughout this manual and should be carefully observed.

- Turn the unit off, disconnect the power source, and allow unit to cool down before performing any service or maintenance.
- The toaster should be grounded according to local electrical codes to prevent the possibility of electrical shock. It requires a grounded receptacle with separate electrical lines protected by fuses or a circuit breaker of the proper rating.

- Bread may burn. Therefore toasters must NOT be used near or below curtains or other combustible walls and materials. Failure to maintain safe operating distances may cause discoloration or combustion.
- When installing conveyor belt wrap, be careful NOT to wrap it over the upper and lower support rods or permanent damage to belt will occur. Make sure belt wrap is positioned UNDER the upper and lower support rods.
- Make sure both ends of belt wrap are aligned evenly before installing belt wrap pin.
- Failure to use Release Sheets may result in damage to the equipment and loss of war-ranty coverage.
- Do NOT clean this appliance with a water jet.
- If supply cord is damaged, it must be replaced by the manufacturer, its service agent, or a similarly qualified person.
- All electrical connections must be in accordance with local electrical codes and any other applicable codes.
- WARNING, ELECTRICAL SHOCK HAZARD. FAILURE TO FOLLOW THESE INSTRUCTIONS COULD RESULT IN SERIOUS INJURY OR DEATH.
 - Electrical ground is required on this appliance.
 - Do NOT modify the power supply cord plug. If it does not fit the outlet, have a proper outlet installed by a qualified electrician.
 - Do NOT use an extension cord with this appliance.
 - Check with a qualified electrician if you are unsure if the appliance is properly grounded.



SPECIFICATIONS

Electrical Specifications at Listed Voltages

| Model and Mfg. No. | Voltage | Watts | Amps | Hertz |
|-------------------------------------------------|---------|-----------|-----------|-------|
| VCT-2000HI 9210204, 9210207, & 9210211 | 220-240 | 3019-3593 | 13.7-14.9 | 50/60 |
| VCT-2000HK 9210206 | 220-240 | 3019-3593 | 13.7-14.9 | 50 |

Electrical Cord & Plug Configurations

| Model and Mfg. No. | Description | Configuration |
|------------------------------------|--------------------------------------------------------------------|---------------|
| VCT-2000HI 9210204 & 9210207 | IEC-309, 16 Amp., 250 VAC., Pin & Sleeve (Assembly Only). | |
| VCT-2000HK 9210206 | AS3112 Australian Plug 20 Amp., 250 VAC. | |
| VCT-2000HI 9210211 | 16 Amp, 250 Volt CEE 7/7 Plug | |

A WARNING A


ELECTRICAL SHOCK HAZARD. FAILURE TO FOLLOW THE INSTRUCTIONS IN THIS MANUAL COULD RESULT IN SERIOUS INJURY OR DEATH.

- Electrical ground is required on this appliance.
- Do NOT modify the power supply cord plug. If it does not fit the outlet, have a proper outlet installed by a qualified electrician.
- Do NOT use an extension cord with this appliance.
- Check with a qualified electrician if you are unsure if the appliance is properly grounded.

A CAUTION A

All electrical connections must be in accordance with local electrical codes and any other applicable codes.

Dimensions





INSTALLATION

Unpacking

- 1. Remove unit and all packing materials from shipping carton.
- 2. Open the included large box. It should contain the following:
 - Bun Chute (Figure 1)
 - Bun Feeder (Figure 1)
 - Two Release Sheets (Figure 1)
 - Owner's Manual
 - Maintenance Card
 - Authorized Service Agency Directory
- 3. Remove all shipping tape and protective coverings from the unit and parts.

NOTE: If any parts are missing or damaged, contact Antunes Customer Service IMMEDIATELY at 1-877-392-7856 (toll free in the U.S.) or 630-784-1000.

Equipment Setup

Before placing the toaster into service, pay attention to the following guidelines:

- Make sure power to the unit is off and the toaster is at room temperature.
- Do NOT block or cover any openings on the unit.
- Do NOT immerse the cord or plug in water.
- Keep the cord away from heated surfaces.
- Do NOT allow the cord to hang over edge of table or counter.
- Connect the unit to the proper power supply. Refer to the specification plate for the proper voltage.

Assembling the Unit

NOTE: The factory has pre-installed a Release Sheet over the Platen (Figure 1). Verify that it is properly in place before proceeding.

1. Remove the Bun Chute and Bun Feeder from the box and install (Figure 1).

IMPORTANT: Make sure Heat Shield is activating the Conveyor Safety Interlock Switch (Figure 1). The conveyors will not rotate unless the Heat Shield is in place and switch is activated.

Failure to use Release Sheets may result in damage to the unit and loss of warranty coverage.

Bread may burn. Therefore toasters must not be used near or below curtains or other combustible walls and materials. Failure to maintain safe operating distances may cause discoloration or combustion.

A WARNING A

ELECTRICAL SHOCK HAZARD. FAILURE TO FOLLOW THE INSTRUCTIONS IN THIS MANUAL COULD RESULT IN SERIOUS INJURY OR DEATH.

- Electrical ground is required on this appliance.
- Do NOT modify the power supply cord plug. If it does not fit the outlet, have a proper outlet installed by a qualified electrician.
- Do NOT use an extension cord with this appliance.
- The toaster should be grounded according to local electrical codes to prevent the possibility of electrical shock. It requires a grounded receptacle with separate electrical lines protected by fuses or a circuit breaker of the proper rating.
- Check with a qualified electrician if you are in unsure if the appliance is properly grounded.

ACAUTION **A**

All electrical connections must be in accordance with local electrical codes and any other applicable codes.



INSTALLATION (continued)




Figure 1. VCT-2000 Toaster



OPERATION

Operating Instructions

1. Set the Bun Thickness Adjustment Controls (Figure 2) to desired setting.

NOTE: Recommended settings are "3" for heel and "E" for crown.

2. Turn the unit on and allow the toaster to warm-up for 30 minutes.

NOTE: The temperature display (Figure 3) will flash "LO" until the toaster reaches its preset operating temperature. When "USE" appears, the unit is ready to toast buns. If "USE" does not appear in the window after approximately 30 minutes, contact your Authorized Service Agency.

3. Drop Crowns into the front slot and Heels into the rear slot (Figure 3).

NOTE: The cut sides of Heel and Crown must face each other.

- 4. Toasted buns drop into the Bun Landing Area (Figure 3).
- 5. Test at least 4 buns before putting the toaster into service.
- 6. Turn the unit off when finished toasting for the day and proceed with the daily cleaning in the Maintenance section of this manual.

Temperature Adjustments

The VCT-2000 uses a Platen Heater and two Auxiliary Air Heaters. The recommended temperature setting for the Platen Heater is 600°F (315°C). The recommended temperature setting for the Auxiliary Air Heaters is 400°F (204°C).

NOTE: The toaster is tested and shipped with the heaters set at the recommended temperatures.




Figure 2. Bun Thickness Adjustment Controls




Figure 3. VCT-2000 Toaster



OPERATION (continued)

TEMPERATURE CONTROL PANEL

NOTE: The term "set point temperature" refers to the desired temperature setting.

To display the actual Platen Heater temperature, providing it is over 440°F (227°C), press the TEMP UP button.

To display the actual Auxiliary Air Heater temperature, providing it is over 360°F (182°C), press the TEMP DOWN button.

To switch the temperature display between Fahrenheit (°F) and Celsius (°C), press and hold the TEMP SCALE button for 5 seconds.

PLATEN HEATER TEMPERATURE ADJUSTMENT

- 1. Turn the unit on and allow the toaster to warm-up until the display reads "USE".
- 2. Press and hold both TEMP UP and TEMP DOWN buttons until the display flashes the Platen Heater set point temperature, then release (Figure 5).
- 3. Press the TEMP UP button to raise the set point temperature or press the TEMP DOWN button to lower the set point temperature.

NOTE: The maximum Platen set point temperature is 600°F (315°C).

4. Release the button when the desired set point is displayed.

NOTE: If no change in temperature is made within 5 seconds, the display reverts back to the previous set point.

AUXILIARY AIR HEATER TEMPERATURE ADJUSTMENT

- 1. Turn the unit on and allow the toaster to warm-up until the display reads "USE".
- 2. Press and hold both TEMP UP and TEMP SCALE buttons until the display flashes the set point temperature, then release (Figure 6).
- 3. Press the TEMP UP button to raise the set point temperature or press the TEMP DOWN button to lower the set point temperature.

NOTE: The maximum Auxiliary Air Heater set point temperature is 400°F.

4. Release the button when the desired set point is displayed.

NOTE: If no change in temperature is made within 5 seconds, the display reverts back to the previous set point.

Hi-Limit Reset Button

A Hi-Limit Control turns off electrical power to the heater and control circuits if the Platen Heater overheats. To reset the control, allow 10-15 minutes for the Platen Heater to cool, then locate the Reset Button at the rear of the unit (Figure 3). Remove the black protective cap, press the Reset Button, and reinstall the protective cap.

NOTE: If the Hi-Limit requires continuous resetting, contact your Authorized Service Agency.



OPERATION (continued)

Fault Codes

Г

| o OLD STYLE CONTROL BOARD | If the toaster control board resembles the OLD style shown here, refer to the Fault Message in Table 1. | | |
|--------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|
| FAULT CODE ON DISPLAY | FAULT CODE DESCRIPTION | | |
| "HI" Flashes on display | The platen thermocouple is disconnected or open or the platen relay is shorted. Call for service. | | |
| "HI" and "LO" flashes at cold start up | The auxiliary thermocouple is discon- nected or open. Call for service. | | |
| "HI" and "USE" flashes after 30 minutes of pre- heat time | The auxiliary thermocouple is discon- nected or open or the auxiliary relay is shorted. Call for service. | | |
| "CHEC" | The electrical compartment ambient temperature is above 140° F (60° C). All heaters will shut off. Check for proper air- flow. Call for service. | | |
| "PO" | The incoming voltage has dropped below 175 VAC. All heaters will shut off. Call for service. | | |

Table 1

| 0 0 | |
|----------------------------|--|
| NEW STYLE CONTROL BOARD | |
| • • | |

If the toaster control board resembles the NEW style shown here, refer to the Fault Message in Table 2.

| FAULT CODE ON DISPLAY | POSSIBLE CAUSE(S) |
|--------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Err 1 | Failed Control Board (Call for Service) |
| Err 2 | Failed Control Board (Call for Service) |
| Err 3 | The programming dip switches were not adjusted upon installation of the universal control board. The dip switches must be adjusted to match the toaster Mfg #. Refer to document P/N 1011052 for specific set- tings. |
| Err 4 | Platen Thermocouple is shorted to chassis ground (Call for Service) |
| Err 5 | Platen Thermocouple is Loose or Discon- nected or Open (Call for Service) |
| Err 6 | Failed Control Board (Call for Service) |
| Err 7 | Failed Control Board (Call for Service) |
| Err 8 | Failed Control Board (Call for Service) |
| Err 9 | The programming dip switches were not adjusted upon installation of the universal control board. The dip switches must be adjusted to match the toaster Mfg #. Refer to document P/N 1011052 for specific set- tings. NOTE: If the dip switches were ad- justed correctly, then the AC Isolator Board or its wiring is faulty. (Call for Service) |
| Err 10 | Failed Control Board (Call for Service) |
| CHEC | Ambient in electrical compartment has exceeded 140 F (60 C). Check for proper airflow. (Call for Service) |

Table 2



MAINTENANCE

Turn the unit off, disconnect the power source, and allow the unit to cool down 30 minutes before performing any service or maintenance on the unit.

To prevent damage to the unit, do not use abrasive cleaners on the Release Sheet or belt wrap.

Daily

CLEANING THE BLACK AND SILVER RELEASE SHEET, CONVEYOR BELT WRAPS, AND TOASTER

Tools Required:

- Heat-resistant gloves
- Clean towels
- Capital[®] Multipurpose Superconcentrate
- Sanitizer Solution
- 1. Turn the unit off, unplug the power cord, and allow the unit to cool for 30 minutes.
- Use heat-resistant gloves to remove the Bun Feeder, Heat Shield, and Bun Chute (Figure 1). Wipe them with a damp sanitized towel and allow them to air dry.
- Remove the Release Sheet and place it on a clean, flat dry surface. Wipe the silver side with a clean towel (or approved no-scratch pad) dampened with Capital[®] Multipurpose Superconcentrate (HSC) (or other approved cleaner) immediately followed by a second clean towel dampened with sanitizer. Allow it to air dry before continuing.
- 4. Clean the black side of the Release Sheet using the same process described in Step 3.
- 5. Open the front Conveyor Cover. Inspect the Belt Wraps for tears or damage and replace if necessary following the instructions on page 13 of this manual. If the belts are in good condition, firmly wipe the black cleated Belt Wrap from left to right and from top to bottom with a clean towel (or approved no-scratch pad) dampened with Capital[®] Multipurpose Superconcentrate (HSC) (or other approved cleaner) immediately followed by a second clean towel dampened with sanitizer.



Failed Belt Wrap - Worn.



Failed Belt Wrap - Torn

6. Close the front Conveyor Cover, then open the rear Conveyor Cover, and clean the Belt Wrap as described in Step 5.

NOTE: Belt Wraps should feel tacky after cleaning in order to grip the buns and pull them into the toaster. If the Belt Wraps are slick, repeat Steps 5 and 6.

- Close the rear Conveyor Cover, reinstall the Heat Shield, and plug in the power cord. Turn the unit on, count 10 seconds, then turn the unit off and unplug the unit.
- 8. Open the rear Conveyor Cover again, clean the newly exposed section of the Belt Wrap in the same manner as before. Close the Conveyor Cover.
- 9. Open the front Conveyor Cover again and clean the newly exposed section of the Belt Wrap in the same manner as before.
- 10. Close the front Conveyor Cover and wipe the outside of the toaster with a clean, damp, sanitized towel.



MAINTENANCE (continued)

11. Install the Release Sheet by placing it over both sides of the Platen with the crease centered on the Platen.

NOTE: Extend the life of the Release Sheet by rotating from the black side to the silver side on a daily or weekly basis.

- 12. Install the Bun Chute so the hooks are over the lower rear Support Rod. Install the Heat Shield with the Release Sheet retainer clips securely over the Release Sheet and Platen.
- 13. Reinstall the Bun Feeder and plug in the unit.

NOTE: Make sure the Heat Shield is activating the Conveyor Safety Interlock Switch. The Conveyors will not rotate unless the Heat Shield is in place and the Conveyor Safety Interlock Switch is activated.

NOTE: Check the Release Sheet to make sure it is not caught in the Conveyor. Additional release Sheets can be obtained through your Authorized Service Agency under P/N 7000249 (3-Pack) or 7000250 (10-Pack).


Failure to use Release Sheets may result in damage to the unit and loss of warranty coverage.

Monthly

REPLACING THE BLACK AND SILVER RELEASE SHEET

NOTE: Depending on usage and level of cleaning, the Release Sheet may last up to 45-60 days.


- 1. Remove and discard the Release Sheet.
- 2. Lay a new Release Sheet on a clean, dry surface and fold it in half lengthwise. Then gently crease it at the fold using only your fingers (see below).
- 3. Install the Release Sheet into toaster.



Turn the unit off, disconnect the power source, and allow the unit to cool down before performing any service or maintenance on the unit.

MEASURING CONVEYOR BELT

Facing the toaster, locate the approximate center point of the Conveyor Chain. Pull the chain away from the edge of the toaster. Stand a U.S. Dime, 11/16" (1.8 cm) coin on end between the frame and the chain. If the gap is significantly wider than



the coin, REMOVE links as described below. Then, measure the gap again to make sure it is not too tight. Check the opposite side of the toaster using the same measurements.

REMOVING CONVEYOR BELTS

After a period of time, the Conveyor Chain links will wear and the chain will stretch, eventually skipping on the sprockets. This is easily fixed by removing one or more conveyor links from each side of the belt.

- 1. Perform steps 1-4 under *Replacing Belt Wraps* on the previous page.
- 2. Disconnect the Conveyor Belt Chain by squeezing any two links together and unhooking both ends of one link (Figure 4).




Figure 4. Removing Conveyor Belt

- 3. To shorten a stretched Conveyor Belt Chain, remove one 1/2" link from the belt.
- 4. Reassemble the Conveyor Belt Chain onto the sprockets as described below.

NOTE: If the belt is too short to be reassembled, remove a second 1/2" small link and install a 3/4" large link. This will shorten the belt by 1/4" overall.



MAINTENANCE (continued)

REPLACING CONVEYOR BELT CHAINS

- 1. Remove the old Conveyor Belt Chain.
- 2. Place the replacement Conveyor Belt Chain on the top sprockets with hook ends down. Check for correct positioning (Figure 4).


NOTE: The ends of the hooks must point down. (Figure 4).

3. Wrap the Conveyor Belt Chain around lower sprockets and hook both ends together.

NOTE: Make sure the Conveyor Belt Chain is installed below the upper support rod and above the lower support rod.

MEASURING ROLLER TENSIONERS

Measure the Roller Tensioner on both inner Conveyor Covers (See below). The space between the inner Conveyor Cover and bottom of the Tensioner wheel should be 13/16" (2.1 cm) or the height of a U.S. Nickel. Adjust or replace any damaged ones.



REPLACING ROLLER TENSIONERS

1. Remove the acorn nuts and old roller Tensioner Assembly (Figure 5).




Figure 5. Replacing Roller Tensioner Assy.

- 2. Replace Tensioner Assembly and reassemble.
- 3. Make sure the spacers are placed inside the Tensioner arm. The spacers are smaller than the holes to allow the Tensioner to pivot freely.



MAINTENANCE (continued)

Replacing Belt Wraps

NOTE: Depending on toaster usage and how well they are cleaned daily, the Belt Wraps may last in excess of 6 months. Additional Belt Wraps may be purchased from your Authorized Service Agency.

 With power off and toaster cool, set crown and heel compression knobs to 6 & F. Remove top cover and both conveyor covers. Remove current belts by either removing lacing pin or using scissors or razor knife, carefully cut the belt free of the wire, drive belt.

NOTE: Check conveyers chains for proper tension and remove a link if necessary (see page 12).





- 2. Before installing new conveyor belt wraps, wipe conveyers chain links with sanitized towel (see owners manual for instructions). Pick belt up from the center and feed flap end beneath yellow bar and lower belt until the other end of the belt is on the bottom of the toaster. Ensure the "Run Belt This Direction" arrow follows the same directional path as the wire belt. Feed belt from the bottom through bottom yellow bar until both ends are approximately in the middle of the toaster.
- Starting at a conveyor link in approximately the middle of the conveyor chain, attach the top hook of each clip to a conveyor link and gently push the belt downward to attach the bottom of the clip to the link directly below the top hook.

NOTE: There are 2 different size conveyor links, ensure the clips are attached to the larger 3/4" links, do not attached to small 1/2" links.



- 4. Verify both clips on the belt wraps are secured to the links on the conveyor chains. Then position both ends of the new belt together and line up so the lacing is even. Insert the pin to join both sides of the belt together.
- Verify belt alignment is even from side to side of each belt. Reinstall both conveyor covers and top cover. Set the compression knobs to 3 and E. Plug in the power cord and turn the unit on.



MAINTENANCE (continued)







TROUBLESHOOTING

A WARNING A

To avoid possible personal injury and/or damage to the unit, inspection, test and repair of electrical equipment should be performed by qualified service personnel. The unit should be unplugged when servicing, except when electrical tests are required. Use extreme care during electrical circuit tests. Live circuits will be exposed.

| Problem | Possible Cause | Corrective Action |
|----------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Control Display flash- es " LO " continuously. | Platen temperature is below 440°F (226°C). | Allow the unit to warm up for 30 minutes and then recheck. If the Control Display still reads " LO ", |
| Buns not toasting | Failed Platen. | contact your maintenance person or Authorized |
| properly. | Failed Platen Solid State Relay. | Service Agency. |
| | Loose, burnt, or broken wires in circuit. | |
| Control Display | Failed Platen Thermocouple. | Contact your maintenance person or Authorized |
| flashes " LO " continu- ously. Buns Burn. | Failed Control Board. | Service Agency. |
| Temperature display flashes " PH " | The Heat Shield is not engaging the Conveyor Safety Interlock Switch. | Reposition the Heat Shield so that it engages the Conveyor Safety Interlock Switch. |
| continuously. | Loose wiring between the phase control and A/C isolator boards. | Contact your maintenance person or Authorized Service Agency. |
| Control Display flashes " PO " continuously. | The power to the unit is below 190 Volts. | Turn the unit off and then back on. If problem persists, check the power cord, plug, and outlet for damage. |
| | Failed Control Board. | Reset the Circuit Breakers. |
| | Failed Transformer. | Contact your maintenance person, Authorized Service Agency, or electrician. |
| Control Display flashes "CHEC" con- | Control Compartment temperature is above 140°F. | Verify side vents on toaster are unblocked and not near other heating appliances. After temperature |
| tinuously. | Failed Cooling Fan. | has dropped, turn the unit off, then back on to re- |
| | Failed Control Board. | start.If problem persists, contact your maintenance person or Authorized Service Agency. |
| Control Display | Failed Platen Solid State Relay. | Contact your maintenance person or Authorized |
| flashes " HI " continu- | Failed Control Board. | Service Agency. |
| ously. Buns burn. | Failed Platen Thermocouple. | |
| Control Display flash- es " HI " continuously. Buns not toasting | Loose Platen Thermocouple connec- tion on Control Board or the Platen Thermocouple is "open". | Re-secure the Platen Thermocouple connection to the Control Board. If problem persists, check the Thermocouple for continuity. |
| properly. | Failed Control Board. | Contact your maintenance person or Authorized Service Agency. |
| Control Display flashes " HI " & " LO " at cold start up, then " HI " & " USE " after 20-30 minutes. | Auxiliary Thermocouple is discon- nected or "open". | Reattach or replace the Auxiliary Thermocouple. If the Control Display still reads " HI " & " LO " or " HI " & " USE ", check Thermocouple for continuity. Contact your maintenance person or Authorized Service Agency. |
| Control Display flashes " HI " & " USE ". | Auxiliary Heating temperature ex- ceeds 420°F (215°C). | After toaster has cooled down, turn the unit off, then back on to restart. If problem persists, contact your Authorized Service Agency. |



TROUBLESHOOTING (continued)

| Problem | Possible Cause | Corrective Action |
|-------------------------------|--------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| No Control Display. | Unit not plugged in. | Plug unit into the proper electrical outlet. |
| | Hi-Limit control has tripped. | Allow unit to cool and reset the Hi-Limit control. If it trips again, contact your maintenance person or Authorized Service Agency. |
| | Circuit Breakers turned off or tripped. Damaged electrical outlet, plug, or cord. Power On/Off Rocker Switch damaged. | Reset Circuit Breakers. If they trip again, check the cord, plug, and outlet for damage. Contact your maintenance person, Authorized Ser- vice Agency, or electrician. |
| Conveyor does not turn. | Safety Interlock Switch is not acti- vated. | Reposition the Heat Shield properly. |
| | Heat Shield is bent or damaged. | Replace Heat Shield (P/N 0011528). |
| | Damaged or missing Roller Tensioner(s). | Adjust or replace Roller Tensioner(s). |
| | Conveyor Belt/Chain has stretched. Chain skipping on sprockets. | Measure and adjust the Conveyor Belt Chains as described in the Maintenance section of this manual. |
| | Motor Drive Chain came off Sprocket(s). | Reinstall Drive Chain. |
| | Drive Chain needs lubrication. | Lubricate chain. |
| | Drive Motor has overheated | Allow unit to cool and check Conveyor(s) for ob- structions or binding at sprockets. Measure and adjust Conveyor Belt(s) as described in the Mainte- nance section of this manual. |
| | Drive Motor has failed. | Contact your maintenance person or Authorized Service Agency for service. |
| Buns not toasting adequately. | Compression Settings are incorrect. | Use the recommended settings. Set Heel to 3 and Crown to E. |
| | Temperature Setting is incorrect. | Verify that the Platen (SP-P) is set to 600°F (320°C) and the Auxiliary (SP-A) is set to 400°F (204°C). For making changes in the Set point temperature, see the Installation section of this manual. |
| | Release Sheet is worn or needs cleaning (replace every 4-6 weeks.) | Inspect Release Sheet for cleanliness, worn sports, tears, or wrinkles. Clean or replace Release Sheet as described in the Maintenance section of this manual. |
| | Belt Wraps are worn or need clean- ing (replace every 3-6 months). | Replace or clean Belt Wraps as described in the Maintenance section of this manual. |
| | Belt Wraps are not tacky/sticky. | Clean or replace Belt Wraps as described in the Maintenance section of this manual. |
| | Buns do not meet specifications. | Contact your bun supplier. |





| (continued) | | | |
|-------------------------------------------------|--------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| Problem | Possible Cause | Corrective Action | |
| Crowns and/or Heels must be forced into | Belt Wraps not being cleaned prop- erly. | Clean Belt Wraps as described in the Maintenance section of this manual. | |
| the toaster. Buns sticking and burn- ing. | Conveyor Belt Wraps are not tacky/ sticky (replace every 3-6 months). | Clean Belt Wraps. If the Belt Wraps are too worn, replace them as described in the maintenance section of this manual. | |
| | Belt Wraps are dirty, worn, or dam- aged (replace every 3-6 months). | Clean or replace Belt Wraps as described in the Maintenance section of this manual. | |
| | Release Sheet is not being cleaned properly. | Clean both sides of the black and silver Release Sheet as described in the Maintenance section of this manual. | |
| | Release Sheet is not being reversed as required. | Reverse the Release Sheet or replace Release sheet as described in the Maintenance section of this manual. | |
| | Release Sheet is dirty, worn, or damaged (replace every 4-6 weeks). | Clean or replace Release Sheet as described in the Maintenance section of this manual. | |
| | Conveyor Belt Chains are skipping on Sprockets. | Measure and adjust the Conveyor Belt Chains as described in the Maintenance section of this manual. | |
| | Safety Interlock Switch is not being | Heat Shield is ajar. Reposition Heat Shield. | |
| | activated by the Heat Shield. | Heat Shield is damaged. Replace if necessary. If the Safety Interlock Switch is damaged, contact your maintenance person or Authorized Service Agency for service. | |
| | Belt Wraps slipping over Conveyor Belt Chains. | Remove Belt Wraps and clean the Conveyor Belt Chain links and Belt Wraps as described in the Maintenance section of this manual. | |
| | Roller Tensioner(s) damaged or missing. | Reinstall or replace Roller Tensioner(s) as described in the Maintenance section of this manual. | |
| | Drive Motor stalls intermittently. | Contact your maintenance person or an Authorized Service Agency for service. | |
| | Compression Settings are incorrect. | Use the recommended settings. Set Heel to 3 and Crown to E. | |
| | Buns are not inserted into the toast- er properly. | Buns must be inserted with the cut sides facing each other on the correct Heel or Crown side. | |
| New Conveyor Belt Wraps do not fit. | Compression Settings are incorrect. | Set Compression Knobs to 6 and F when replac- ing Belt Wraps or when adjusting Conveyor Belt Chains. | |
| | Belt Wraps not installed correctly. | Install Belt Wraps inside the Conveyor Support Rods with the "zipper flap" exposed and hanging down. | |
| | Using incorrect or damaged Belt Wraps. | Replace with OEM P/N 7000416 only. | |

(continued)




TROUBLESHOOTING (continued)

| Problem | Possible Cause | Corrective Action |
|------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Toaster makes unusu- al sounds. | Compression Settings are too tight. | Set Compression Settings to the correct (or larger) setting. |
| | Conveyor Belt Wrap is installed incorrectly. | Belt Wraps must be installed as described in the Maintenance section of this manual. |
| | Belt Wrap Pin rubbing on housing. | Center the Pin in the Belt Wrap "Zipper." |
| | Roller Tensioner(s) bent or missing. | Measure, adjust, or replace the Roller Tensioner(s) as described in the Maintenance section of this manual. |
| stretched. | Conveyor Belt Chains have stretched. | Measure and adjust the conveyor Belt Chains as described in the Maintenance section of this |
| | Conveyor Belt Chains adjusted incorrectly. | manual. |
| | Sugar and/or Carbon has accumu- lated inside the Conveyor Belt Wrap and between the Conveyor Belt chain and Tensioner Slide Rails. | Remove Belt Wraps, Clean conveyor Belt Chain links just as you clean the Belt Wraps daily, and then clean the Slide Rails on the Tensioners. Next, clean the Belt Wrap on both sides before reinstall- ing it. |
| | Motor Drive Chain needs lubrication. | Lubricate the Drive Chain carefully at least once a year. |
| | A Conveyor Shaft bearing is binding or worn. | Contact your maintenance person or Authorized Service Agency for service. |




REPLACEMENT PARTS


Parts Identification



















| Item | Part No. | Description | Qty. |] | Item | Part No. | Description | Qty. |
|------|----------|---------------------------------------|------|---|--------|-------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|
| 1 | 0011266 | Conveyor Belt (Incl. items below) | 2 | | 63 | 040P138* | Locknut, 1/2" | 1 |
| | 0800204 | 1/2" Pitch Link, Small | 2 | | 64 | 0011528 | Heat Shield Assy. | 1 |
| | 0800121 | 3/4" Pitch Link, Large | 38 | | 65 | 325P163* | Setscrew, 1/4-28 x 5/16" | 8 |
| 2 | 2150117 | Idler Shaft | 2 | | 66 | 100P864* | Label, Caution Hot | 1 |
| 3 | 7000322 | Conveyor Cover Assy. (Incl. #29, 52, | - | | 67 | 308P183* | Screw, Hex, #8-32 x 3/8" | 2 |
| | 1000022 | 61. and 76) | 2 | | 68 | 304P105* | Nut, #4-40, "KEPS" | 4 |
| 4 | 0010475 | Tensioner Assy. (Incl. #40, 76, 85) | 4 | | 69 | 406P107* | Cable Tie | 1 |
| 5 | 7000644 | Rod, Conveyor Cover | 4 | | 70 | 308P143* | Nut, #8-32, "KEPS" | 6 |
| 6 | 7000207 | Sprocket w/ Setscrew | 8 | | 70 | 310P103* | Screw, Hex, #10-32 x 1/4" | 4 |
| 7 | 7000199 | • | 1 | | 72 | | | 6 |
| | | Spacer Kit (See Note A) | 1 | | 72 | 310P157* | Washer, #10 | |
| 8 | 0011444 | Control Housing Cover Assy. | | | | 308P101* | Nut, #8-32 | 3 |
| 9 | 2150118 | Drive Shaft | 2 | | 74 | 306P101* | Nut, Hex, #6-32 | 2 |
| 10 | 2100212 | Handle | 2 | | 75 | 306P123* | Screw, #6-32 x 7/8" | 2 |
| 11 | 7000739 | Control Board Kit | 1 | | 76 | 308P145* | Nut, Hex Acorn, #8-32 | 14 |
| 12 | 7000296 | Ball Bearing (Pack of 2) (See Note A) | 1 | | 77 | 100P900* | Label, Service | 1 |
| 16 | 7000167 | Bearing & Retainer Kit (Pack of 1) | | | 78 | 325P104* | Washer, 1/4" | 4 |
| | | (See Note A) | 6 | | 79 | 325P109* | Screw, 1/4-20 x 1/2" | 4 |
| 16A | 7000224 | Bearing & Retainer Kit (Pack of 6) | | | 80 | 308P124* | Screw, 1-Way, #8-32 x 1/2" | 1 |
| | | (See Note A) | 1 | | 81 | 10P1022* | Label, Heaters | 1 |
| 17 | 2150181 | Drive Sprocket, 20 Tooth, Front | 1 | | 82 | 310P180* | Screw, #10-32 x 1-3/4" | 4 |
| 18 | 2150187 | Drive Chain | 1 | | 83 | 308P133* | Screw, #8-32 x 1/4" | 1 |
| 19 | 0011299 | Idler Sprocket & Bearing (See #20) | 1 | | 84 | 308P157* | Screw, Tap, #8-32 x 3/8" | 20 |
| 20 | 0011300 | Bracket, Idler Sprocket Assy. (Incl. | | | 85 | 308P181* | Screw, Flat Hd., #8-32 x 3/8" | 4 |
| | | #91, 89, 90, 19, 87) | 1 | | 86 | 218P145* | Cover, Leg, Bumper | 4 |
| 21 | 0503589 | Bracket, Motor Mounting | 1 | | 87 | 331P103* | Shoulder Bolt, 5/16-18 x 1" | 1 |
| 22 | 7000240 | Drive Motor Kit, Dual Frequency | | | 88 | 306P105* | Screw, #6-32 x 1/2" | 8 |
| | | 50/60 Hz (Incl. #58) | 1 | | 89 | 331P106* | Lockwasher, 5/16" | 1 |
| 23 | 2150129 | Sprocket, 25B14 5/16 Bore | 1 | | 90 | 212P118* | Flat Washer, 5/16" | 1 |
| 24 | 7000882 | Rocker Switch Kit | 1 | | 91 | 331P101* | Nut, Hex, 5/16 x 18" | 1 |
| 25 | 2150325 | Sprocket, 25B22 1/2" Bore | 1 | | 92 | 300P102* | Nut, Tinnerman | 2 |
| 26 | 7000370 | Relay, Solid State | 2 | | 93 | 210K230 | Bumper, Recess Leg, 1" (Pack of 4) | 1 |
| | | 5. | 1 | | 93 | | i , | 1 |
| 27 | 4010187 | Transformer | | | | 0503495 | Retainer, Tensioner Bracket, RH | |
| 28 | 7000964 | Conveyor Belt Wrap (Clip Style) | 1 | | 95 | 0503507 | Retainer, Tensioner Bracket, LH | 1 |
| | | (Pack of 2) | | | 96 | 2100259 | Slide Bar | 4 |
| | 7000416 | Conveyor Belt Wrap (Pack of 2) | 1 | | 97 | 7000400 | Interlock Switch | 1 |
| 29 | 7000186 | Roller Tensioner Assy. (Pack of 2) | 1 | | 98 | 0700437 | Power Cord, IEC-309 (International) | 1 |
| 30 | 0503496 | Tensioner Bracket, Right | 2 | | | | (Mfg. No. 9210204 & 9210207) | |
| 31 | 0503497 | Tensioner Bracket, Left | 2 | | | 0700697 | Power Cord - Australian (20A/250V) | 1 |
| 32 | 1001006 | Label, Control | 1 | | | | (Mfg. No. 9210206) | |
| 33 | 1001069 | Label, Dial Compression | 1 | | | 0700453 | Power Cord 16 Amp., 250 v., CEE 7/7 | 7 1 |
| 34 | 2100253 | Knob, Control | 2 | | | | (Mfg. No 9210211) | |
| 35 | 0011445 | End Housing Cover Assy. | 1 | | 99 | 306P104* | Screw, #6-32 x 1/4" | 6 |
| 36 | 4050214 | Thermocouple Assy. | 1 | | 100 | 4000202 | Fan, Top | 1 |
| 37 | 0021170 | Weldment, End Housing | 1 | | 101 | 0503775 | Duct, Fan | 1 |
| 38 | 7000249 | Release Sheet (Pack of 3) | - | | 102 | 1001056 | Label, Crown & Heel | 1 |
| | 7000250 | Release Sheet (Pack of 10) | - | | 103 | 2120147 | Leg Spacers | 4 |
| 39 | 0021169 | Control Housing | 1 | | 104 | 4060374 | Ground Lug | 1 |
| 40 | 7000121 | Slide Rail Kit (Includes 2 | | | 110 | 7000292 | Bun Feeder Kit | 1 |
| | | Slide Rails for Tensioners) | 2 | | 111 | 4050229 | Line Filter | 1 |
| 41 | 0021207 | Conveyor Cam | 2 | | 112 | 7000391 | A/C Frequency Converter Board Kit | 1 |
| 42 | 7000176 | Thermocouple Retainer Kit | 2 | | 112 | 7000883 | Drive Motor Sprocket Kit | 1 |
| 43 | 4030332 | High Limit Control | 1 | | 115 | 1000000 | (Not Shown) | ' |
| 45 | 0503455 | Tension Spring, Inner | 4 | | | | (NOT SHOWIT) | |
| 46 | 0503590 | Bracket, Motor | 1 | | * Solo | d only as packa | ges of 10. | |
| 40 | 0700651 | Wire Set (not shown) | 1 | | | | | |
| | 0503385 | | 1 | | | | ring/Spacer Kit consists of items #7, 12, | and 16 |
| 48 | | Bun Chute (#9210207) | | | and is | sufficient for on | e complete unit. | |
| 48A | 0503895 | Bun Chute (#9210204, 9210206) | 1 | | Not S | hown: | | |
| 49 | 4030348 | Auxiliary Heater (675W/230V) | 2 | | | Number 2140152 | Lubricant | |
| 50 | 7000165 | Auxiliary Thermocouple Kit | 1 | | i aiti | | | |
| 51 | 7000289 | Platen (1900W/230V) | 1 | | | | | |
| 52 | 2100252 | Таре | 4 | | | | | |
| 53 | 0504067 | Bracket, Line Filter | 1 | | | | | |
| 54 | 0503150 | Heater Clip | 2 | | | | | |
| 55 | 303P127* | Hinge Pin, Belt Wrap | 2 | | | | | |
| 56 | 4060355 | Terminal Block | 1 | | | | | |
| 57 | 0503533 | Bracket, Auxiliary Thermocouple | 1 | | | | | |
| 58 | 4000170 | Fan Blade, Motor | 1 | | | | | |
| 60 | 0400315 | Strain Relief (International) | 1 | | | | | |
| 61 | 05P2199* | Spacer | 4 | | | | | |
| 62 | 0500464 | Retainer, Bearing | 1 | | | | | |
| | | , - J | | - | L | | | |




WIRING DIAGRAM

Pictorial Wiring Diagram





WIRING DIAGRAM (continued)





NOTES

| | | |
|------|------|--|
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

LIMITED WARRANTY

Equipment manufactured by Roundup Food Equipment Division of A.J. Antunes & Co. has been constructed of the finest materials available and manufactured to high guality standards. These units are warranted to be free from electrical and mechanical defects for a period of two (2) years from date of purchase under normal use and service, and when installed in accordance with manufacturer's recommendations. To insure continued operation of the units, follow the maintenance procedures outlined in the Owner's Manual. During the first 24 months, electromechanical parts, non-overtime labor, and travel expenses up to 2 hours (100 miles/160 km), round trip from the nearest Authorized Service Center are covered.

- 1. This warranty does not cover cost of installation, defects caused by improper storage or handling prior to placing of the Equipment. This warranty does not cover overtime charges or work done by unauthorized service agencies or personnel. This warranty does not cover normal maintenance, calibration, or regular adjustments as specified in operating and maintenance instructions of this manual, and/or labor involved in moving adjacent objects to gain access to the equipment. This warranty does not cover consumable/ wear items. This warranty does not cover damage to the Load Cell or Load Cell Assembly due to abuse, misuse, dropping of unit/shock loads or exceeding maximum weight capacity (4 lbs). This warranty does not cover water contamination problems such as foreign material in water lines or inside solenoid valves. It does not cover water pressure problems or failures resulting from improper/incorrect voltage supply. This warranty does not cover Travel Time & Mileage in excess of 2 hours (100 miles/160 km) round trip from the nearest authorized service agency.
- 2. Roundup reserves the right to make changes in design or add any improvements on any product. The right is always reserved to modify equipment because of factors beyond our control and government regulations. Changes to update equipment do not constitute a warranty charge.
- 3. If shipment is damaged in transit, the purchaser should make a claim directly upon the carrier. Careful inspection should be made of the shipment as soon as it arrives and visible damage should be noted upon the carrier's receipt. Damage should be reported to the carrier. This damage is not covered under this warranty.
- 4. Warranty charges do not include freight or foreign, excise, municipal or other sales or use taxes. All such freight and taxes are the responsibility of the purchaser.
- 5. THIS WARRANTY IS EXCLUSIVE AND IS IN LIEU OF ALL OTHER WARRANTIES. EXPRESSED OR IMPLIED. INCLUDING ANY IMPLIED WARRANTY OR MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, EACH OF WHICH IS HEREBY EXPRESSLY DISCLAIMED. THE REM-EDIES DESCRIBED ABOVE ARE EXCLUSIVE AND IN NO EVENT SHALL ROUNDUP BE LIABLE FOR SPECIAL CONSEQUENTIAL OR INCIDENTAL DAMAGES FOR THE BREACH OR DELAY IN PERFORMANCE OF THIS WARRANTY.



U.S. Headquarters Carol Stream, Illinois Phone: (630) 784-1000 Fax: (630) 784-1650

China Facility Suzhou, China Phone: 86-512-6841-3637 Toll Free: (800) 253-2991 Toll Free: 86-512-6841-3907 Fax: 400-0-7878-22